



iPhone 4 Verizon Rear Panel Replacement

Replace a rear panel on your iPhone 4 Verizon.

Written By: Andrew Bookholt



INTRODUCTION

Remove the rear panel to access components inside your iPhone 4.

[video: http://www.youtube.com/watch?v=_z1AjyEaefQ]



TOOLS:


- [P2 Pentalobe Screwdriver iPhone](#) (1)






PARTS:

- [iPhone 4 Revelation Kit \(CDMA/Verizon\)](#) (1)
Black
This kit contains the part and all tools needed.
- [iPhone 4 Revelation Kit \(CDMA/Verizon\)](#) (1)
White
This kit contains the part and all tools needed.
- [iPhone 4 Rear Glass Panel \(CDMA/Verizon\)](#) (1)
Fix Kit / Black
This kit contains the part and all tools needed.
- [iPhone 4 Rear Glass Panel \(CDMA/Verizon\)](#) (1)
Fix Kit / White
This kit contains the part and all tools needed.
- [iPhone 4 CDMA Used OEM Rear Glass Panel](#) (1)

Step 1 — Rear Panel



-  Before you begin, discharge your iPhone battery below 25%. A charged lithium-ion battery can catch fire and/or explode if accidentally punctured.
- Power off your iPhone before beginning disassembly.
- Your phone's rear cover may have two #000 Phillips screws **or** Apple's 5-Point "Pentalobe" screws. Check which screws you have, and ensure you also have the correct screwdriver in order to remove them.
- Remove the two 3.6 mm Pentalobe or Phillips #000 screws next to the dock connector.
-  During reassembly, we recommend you replace the 5-point screws with equivalent Phillips screws. Our [Liberation Kit](#) provides the tools and screws needed to replace the Pentalobe screws with Phillips screws.
-  The 5-Point Screwdriver should only be used once, as it has the potential to strip the screws.

Step 2



- Push the rear panel toward the top edge of the iPhone.

i The panel will move about 2 mm.

Step 3



- Pinch the rear panel with your fingers, and lift it away from the iPhone. Alternatively, use a [Small Suction Cup](#).

! Be careful not to damage the plastic clips attached to the rear panel.

To reassemble your device, follow these instructions in reverse order.

This document was last generated on 2017-07-30 12:19:17 AM.